APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filin	ng in State Engineer's Office JUL 2 6 1995
	applicant for correction AUG 0 2 1995
Corrected a	pplication filed
Map filed	AUG 1 5 1995
The ap	plicant Bill Pearce Motors, Inc.
_	.O. Box 11765, of Reno, Street and No. or P.O. Box No, City or Town
	Street and No. or P.O. Box No. City or Town evada 89510 State and Zip Code No. hereby make application for permission to appropriate the public
	State and Zip Code No. e State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnersh	rip or association, give names of members.) May 13, 1963
	Nevada
1 These	urce of the proposed enpropriation is underground
1. The so	urce of the proposed appropriation is underground Name of stream, lake, spring, underground or other source
2. The an	nount of water applied for isQ_0267second-feet One second-foot equals 448.83 gals. per min.
	tored in reservoir give number of acre-feet
	ater to be used for remediation of contaminated water. Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use	
(a) Irri	gation, state number of acres to be irrigated
(b) Sto	ckwater, state number and kinds of animals to be watered
(c) Oth	er use (describe fully under No. 12. "Remarks"remediation
(d) Pov	wer:
(1)	Horsepower developed2hp. (maximum)
(2)	Point of return of water to stream infiltration gallery (see attached diagram)
5. The wa	ater is to be diverted from its source at the following point
survey, a	t tached). NW1 Sec. 19. 19N. 20B land, it should be so stated.
	2100 Kietzke Lane
b. Place (Describe by legal subdivision. If on unsurveyed land, it should be so stated. APN = 015-291-07
••••	NW 1 of NW 1 of Sec. 19, T19N, R20E

7. Use wi	July 31, 1995 Il begin about
	ption of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and 4 wells with submersible pumps will each
specific	4 wells with submersible pumps will each cations of your diversion or storage works.) State manner in which water is to be diverted, i.e. diversion structure, ditches and a compact through remodiation equipment.
քա	p 3 gpm through remediation equipment rilled well with pump and motor, etc.

9.	Estimated cost of works
10	Estimated time required to construct works Three 5" wells approximately 25' deep with 20' or
10.	Estimated time required to construct works. Three 5" Wells approximately 25' deep with 20' of screen (proposed). Screen (completed). One 4" well 30' deep with 25' of screen (proposed).
11.	Estimated time required to complete the application of water to beneficial use
	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:
	Approximately 17,280 gallons /day (or 19.3 acre-ft/yr) will be pumped from 4
	wells. The water is contaminated by gasoline due to a leaking underground sto
	tank. The water will be treated in an air stripper and returned to the ground
	via an infiltration gallery.
	By S/Bill O. Pearce P.O Box 11765
Con	npared jr/bk jr/bk Reno, NV 89510
Prot	ested
	ADDROVAL
	APPROVAL OF STATE ENGINEER
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the owing limitations and conditions:
tha	t the amount of water herein granted is only a temporary allowance for pollution
tha con and and mea mus to ope of *	t the amount of water herein granted is only a temporary allowance for pollution trol as mandated by orders issued by the Nevada Division of Environmental Protection subsequent correspondence with said agency. A totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and records of this surement shall be submitted on an annual basis. It is also understood that this right tallow for a reasonable lowering of the static water level of permittee's well due other ground water development in the area. The well shall be equipped with a 2-inch ning for measuring depth to water. The State retains the right to regulate the use water granted herein at any and all times.
tha con and and mea to ope of * by (CO	t the amount of water herein granted is only a temporary allowance for pollution trol as mandated by orders issued by the Nevada Division of Environmental Protection subsequent correspondence with said agency. A totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and records of this surement shall be submitted on an annual basis. It is also understood that this right tallow for a reasonable lowering of the static water level of permittee's well due other ground water development in the area. The well shall be equipped with a 2-inch ning for measuring depth to water. The State retains the right to regulate the use water granted herein at any and all times. The right will cease to exist upon termination of clean up activity as determined the Nevada Division of Environmental Protection.
tha con and and mea mus to ope of * by (CO	t the amount of water herein granted is only a temporary allowance for pollution trol as mandated by orders issued by the Nevada Division of Environmental Protection subsequent correspondence with said agency. A totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and records of this surement shall be submitted on an annual basis. It is also understood that this right tallow for a reasonable lowering of the static water level of permittee's well due other ground water development in the area. The well shall be equipped with a 2-inch ming for measuring depth to water. The State retains the right to regulate the use water granted herein at any and all times. The right will cease to exist upon termination of clean up activity as determined the Nevada Division of Environmental Protection. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to
tha con and and mea mus to ope of * by (CO	t the amount of water herein granted is only a temporary allowance for pollution trol as mandated by orders issued by the Nevada Division of Environmental Protection subsequent correspondence with said agency. A totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and records of this surement shall be submitted on an annual basis. It is also understood that this right tallow for a reasonable lowering of the static water level of permittee's well due to the ground water development in the area. The well shall be equipped with a 2-inch ming for measuring depth to water. The State retains the right to regulate the use water granted herein at any and all times. The right will cease to exist upon termination of clean up activity as determined the Nevada Division of Environmental Protection. NTINUED ON PAGE 2)
tha con and and mea mus to ope of * by (CO	t the amount of water herein granted is only a temporary allowance for pollution trol as mandated by orders issued by the Nevada Division of Environmental Protection subsequent correspondence with said agency. A totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and records of this surement shall be submitted on an annual basis. It is also understood that this right tallow for a reasonable lowering of the static water level of permittee's well due other ground water development in the area. The well shall be equipped with a 2-inch ming for measuring depth to water. The State retains the right to regulate the use water granted herein at any and all times. The right will cease to exist upon termination of clean up activity as determined the Nevada Division of Environmental Protection. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.0267
tha con and and mea mus to ope of * by (CO	t the amount of water herein granted is only a temporary allowance for pollution trol as mandated by orders issued by the Nevada Division of Environmental Protection subsequent correspondence with said agency. A totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and records of this surement shall be submitted on an annual basis. It is also understood that this right tallow for a reasonable lowering of the static water level of permittee's well due other ground water development in the area. The well shall be equipped with a 2-inch ming for measuring depth to water. The State retains the right to regulate the use water granted herein at any and all times. The right will cease to exist upon termination of clean up activity as determined the Nevada Division of Environmental Protection. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.0267
tha con and and mea mus to ope of * by (CO	t the amount of water herein granted is only a temporary allowance for pollution trol as mandated by orders issued by the Nevada Division of Environmental Protection subsequent correspondence with said agency. A totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and records of this surement shall be submitted on an annual basis. It is also understood that this right tallow for a reasonable lowering of the static water level of permittee's well due other ground water development in the area. The well shall be equipped with a 2-inch ming for measuring depth to water. The State retains the right to regulate the use water granted herein at any and all times. The right will cease to exist upon termination of clean up activity as determined the Nevada Division of Environmental Protection. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.0267
tha con and and mea mus to ope of * by (CO	t the amount of water herein granted is only a temporary allowance for pollution trol as mandated by orders issued by the Nevada Division of Environmental Protection subsequent correspondence with said agency. A totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and records of this surement shall be submitted on an annual basis. It is also understood that this right tallow for a reasonable lowering of the static water level of permittee's well due other ground water development in the area. The well shall be equipped with a 2-inch ming for measuring depth to water. The State retains the right to regulate the use water granted herein at any and all times. The right will cease to exist upon termination of clean up activity as determined the Nevada Division of Environmental Protection. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.0267
tha con and and mea mus to ope of * by (CO	t the amount of water herein granted is only a temporary allowance for pollution trol as mandated by orders issued by the Nevada Division of Environmental Protection subsequent correspondence with said agency. A totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and records of this surement shall be submitted on an annual basis. It is also understood that this right t allow for a reasonable lowering of the static water level of permittee's well due other ground water development in the area. The well shall be equipped with a 2-inch ning for measuring depth to water. The State retains the right to regulate the use water granted herein at any and all times. The right will cease to exist upon termination of clean up activity as determined the Nevada Division of Environmental Protection. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.0267
tha con and and mea mus to cope of * by (CO The exce	t the amount of water herein granted is only a temporary allowance for pollution trol as mandated by orders issued by the Nevada Division of Environmental Protection subsequent correspondence with said agency. A totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and records of this surement shall be submitted on an annual basis. It is also understood that this right t allow for a reasonable lowering of the static water level of permittee's well due other ground water development in the area. The well shall be equipped with a 2-inch ning for measuring depth to water. The State retains the right to regulate the use water granted herein at any and all times. The right will cease to exist upon termination of clean up activity as determined the Nevada Division of Environmental Protection. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.0267
tha con and and mea mus to cope of * by (CO) The exce Wor Proc App	t the amount of water herein granted is only a temporary allowance for pollution trol as mandated by orders issued by the Nevada Division of Environmental Protection subsequent correspondence with said agency. A totalizing meter must be installed maintained in the discharge pipeline near the point of diversion and records of this surement shall be submitted on an annual basis. It is also understood that this right t allow for a reasonable lowering of the static water level of permittee's well due to ther ground water development in the area. The well shall be equipped with a 2-inch ning for measuring depth to water. The State retains the right to regulate the use water granted herein at any and all times. The right will cease to exist upon termination of clean up activity as determined the Nevada Division of Environmental Protection. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.0267
tha con and and mea mus to cope of * by (CO) The exce Wor Proc App	The right will cease to exist upon termination of clean up activity as determined the Nevada Division of Environmental Protection. NTINUED ON PAGE 2) amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to ed. 0.0267

STATE ENGINEER ...

61428-E Page 2

(PERMIT TERMS CONTINUED)

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit

holder obtain other permits from State, Federal and local agencies.

This permit is issued pursuant to the provisions of NRS 533.4375. Well drillers reports for any well(s) drilled under this permit shall be filed within 30 days from completion of the well.

Within 30 days after the completion of the project, the permittee shall notify the State Engineer of such completion and all wells shall be plugged and abandoned in accordance with Chapter 534 of the Nevada Administrative Code.